

**Information:** The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited.

This technical sheet remains subject to possible changes. **All dimensions are in mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.



**TECH SHEET**  
20150723

# INLINE STICKS




**Versions:**

*set threefolded base | set fourfolded base | set fivefolded base*




Dimensions (mm)	L	W	H	$l_i$	$w_i$	$h_i$
Inline Sticks threefolded base	1201	240	1800	400	40	45
Inline Sticks fourfolded base	1602	240	1800	400	40	45
Inline Sticks fivefolded base	2002	240	1800	400	40	45



Dimensions (mm)	L	W	H	$l_i$	$h_i$
Inline Sticks threefolded base (folded)	600	120	1800	400	45
Inline Sticks fourfolded base (folded)	600	160	1800	400	45
Inline Sticks fivefolded base (folded)	600	200	1800	400	45

BOX 1: BASE




BOX 2: RODS



Box dimensions (mm)		L	W	H	Qty (#)	Volume (m <sup>3</sup> )	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Inline Sticks threefolded base	Box 1	630	310	60	1	0,01	2,30	2,00	0,30
	Box 2	1900	110	65	1	0,01	9,01	8,91	0,10
	<b>total:</b>				<b>0,02</b>	<b>0,02</b>	<b>11,31</b>	<b>10,90</b>	<b>0,40</b>
Inline Sticks fourfolded base	Box 1	630	310	60	1	0,01	2,92	2,62	0,30
	Box 2	1900	110	65	1	0,01	9,01	8,91	0,10
	<b>total:</b>				<b>0,02</b>	<b>0,02</b>	<b>11,93</b>	<b>11,53</b>	<b>0,40</b>
Inline Sticks fivefolded base	Box 1	630	310	60	1	0,01	3,54	3,24	0,30
	Box 2	1900	110	65	1	0,01	9,01	8,91	0,10
	<b>total:</b>				<b>0,02</b>	<b>0,02</b>	<b>12,55</b>	<b>12,15</b>	<b>0,40</b>

## RODS



White

## RUBBERWOOD BASE



Dark



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV colour fastness	Flame retarding
Fibre glass rods	<ul style="list-style-type: none"> <li>made with the pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester</li> <li>strong</li> <li>corrosion-durability</li> <li>light weight</li> </ul>	6	n.a.	0,45 10 <sup>3</sup> kg/m <sup>3</sup>	outdoor & indoor	n.a.	very good: colour / can fade a little bit when exposed to UV	/
Rubberwood base	<ul style="list-style-type: none"> <li>wood of the rubber tree, very valuable</li> <li>very nice light colour</li> <li>high stability</li> <li>low level of shrinking</li> <li>easy to process</li> <li>ecologically sustainable wood</li> <li>treated with oil to make it more resistant to dirt and keeps its colour</li> </ul>	40	n.a.	600 g/m <sup>2</sup>	indoor	n.a.	n.a.	/
Stainless steel feet	<ul style="list-style-type: none"> <li>highest stainless steel quality available (AISI 316)</li> <li>high rusting resistance</li> <li>periodical maintenance</li> </ul>	2	n.a.	8,00 10 <sup>3</sup> kg/m <sup>3</sup>	outdoor & indoor	n.a.	very good	NEN-EN 13501-1 A1*

\* NEN-EN13501-1 A1


Class A1 products will not contribute in any stage of the fire including the fully developed fire. For that reason they are assumed to be capable of satisfying automatically all requirements of all lower classes.

## APPLICATIONS

**Private:** living, kitchen, ...

**Public:** offices, restaurants, hotels, ...

space divider



standard height




straight, small, curved




mobility

1 base size



endless modularity



## WARNINGS

1. During the production process tiny glass fibres may come loose and remain stuck to the rods. In case of skin contact they may cause slight irritation. We consequently recommend that you thoroughly dust or rinse the rods before inserting them into the bases to reduce these fibres to a minimum.
2. Inline Sticks is for indoor use only.
3. Do not allow anyone to use the rods for playing of jousting. They may cause injuries.
4. Do not touch the fibre glass rods with your bare hands. Always use a glove to assemble Inline Sticks.
5. Because of the specific characteristics of the production process of fibre glass, colours can only be reproduced approximatively and colour differences may occur. This is the case for both standard colours as for colours upon request.

## F.A.Q.

*Q: How long does it take to install a threefolded set?*

A: One set of threefold takes about 10 minutes.

*Q: How many rods are there in one base?*

A: 1 bunch of rods = 30 rods.

- set threefold → 3 bunches = 90 rods

- set fourfold → 4 bunches = 120 rods

- set fivefold → 5 bunches = 150 rods

*Q: Are the rods safe for children? Can this material cause skin irritations by touching the rods?*

A: The rods are covered with a protection layer, so the fibre glass won't hurt the skin. Because of the production some fibre glass dust may stick to the rods, so we advice to wear gloves.

## MAINTENANCE

Download the manuals from our website for maintenance instructions.